

Specifications

Weight

1.1 kg

Closed Length

40 cm

Safety Payload Weight

4 kg

Base Diameter

40 mm

Center Column

rapid

Colour

Black

Top Attachment

1/4" screw

Easy Link

No

Front Tilt

0° to 100°

Maximum Height

142 cm

Head Type

Ball Head

Maximum Height (With Center Column Down)

123 cm

Carrying Bag Included

1035,52

Upper Disc Diameter

40 mm

Leg Sections

4

Base Type

26 mm

Friction Control

No

Min Height

22

Specifications

Weight

1.1 kg

Closed Length

40 cm

Safety Payload Weight

4 kg

Base Diameter

40 mm

Center Column

rapid

Colour

Black

Top Attachment

1/4" screw

Easy Link

No

Front Tilt

0° to 100°

Maximum Height

142 cm

Head Type

Ball Head

Maximum Height (With Center Column Down)

123 cm

Carrying Bag Included

1035,52

Upper Disc Diameter

40 mm

Leg Sections

4

Base Type

26 mm

Friction Control

No

Min Height

22

Specifications

Weight

1.1 kg

Closed Length

40 cm

Safety Payload Weight

4 kg

Base Diameter

40 mm

Center Column

rapid

Colour

Black

Top Attachment

1/4" screw

Easy Link

No

Front Tilt

0° to 100°

Maximum Height

142 cm

Head Type

Ball Head

Maximum Height (With Center Column Down)

123 cm

Carrying Bag Included

1035,52

Upper Disc Diameter

40 mm

Leg Sections

4

Base Type

26 mm

Friction Control

No

Min Height

22

Specifications

Closed Length

40 cm

Safety Payload Weight

4 kg

Base Diameter

40 mm

Center Column

rapid

Colour

Black

Top Attachment

1/4" screw

Easy Link

No

Front Tilt

0° / 15°

Head Type

Ball Head

Maximum Height (With Center Column Down)

123 cm

Carrying Bag Included

1035,52

Upper Disc Diameter

40 mm

Leg Sections

4

Base Type

26 mm

Friction Control

No

Min Height

22

▲ OUR BRAND

